THE DOCUMENT COMPANY
XEROX®

Phaser® 7750

color laser printer

Accelerate your work

Phaser 7750
Tabloid Color Printer

The full-spectrum printer for design and business.

There's little room for compromise if you rely on color to communicate ideas and solidify concepts. It's got to be spot on every time you print, and you don't have all day to deliver. The Phaser 7750 color laser printer has the complete feature set for professional design: fast performance to keep pace, fully controllable and customizable color output, and intelligent features that help speed projects through to completion.

Bright colors at blazing speed.

The Phaser 7750 color laser printer sets the pace for tabloid laser printers. It powers through the most complicated, high-coverage print jobs with ease, and delivers impressive results, consistently. Bolstered by powerful system level components, the Phaser 7750 color laser printer won't make you late. It'll make you shine.

- 35 pages-per-minute — keeps productivity high.
- First-page-out time of less than 11 seconds and no long warm-up times.
- 715 MHz G4 PowerPC processor makes short work of complex, graphic-intensive layout files.
- Up to 1 GB of memory helps minimize print queues in production-oriented offices.
- Supports Tabloid, Tabloid Extra and Banner-sized paper.

Better color by design.

There's an impressive quality to Phaser 7750 prints. Colors pop, the images are sharp… and the colors are the exact ones you specify. New Emulsion Aggregation Higher Gloss toner uses smaller, more uniform toner "particles" to bring more detail and clarity to every image. Plus, the Phaser 7750 printer is fully loaded with software to ensure that what you expect to see is what you get.

- Glossy, vivid colors and rich, deep blacks.
- Resolution up to 1200 x 1200 dpi for lifelike, high-quality color output.
- Remarkably consistent output over the length of the print run.
- TekColor color correction is your visual guide to accurately simulating output colors of other devices, such as your computer screen or a printing press.
- Powerful PhaserMatch 3.0 and PhaserCal color management and calibration software help you maintain color accuracy from concept to final production — an essential tool for any graphic professional.

Phaser® 7750

Easy to work with.

A busy office or design shop needs to rely on its color printer, not babysit it. The Phaser 7750 color printer practically installs itself, and intelligent management features help it blend in nicely with brisk-paced businesses.

- Prints on a wide variety of media, from bond and glossy paper to card and cover stocks with excellent reliability.
- Driver installs with just four mouse clicks; you'll be printing in minutes.
- Front panel graphically displays remaining toner levels, so there are no surprises.
- PrintingScout and media size sensors and alerts help prevent unintended misprints.
- Up to five feeder trays support the full gamut of media for full production flexibility.
- Optional Finisher (standard in DXF configuration) adds stapling, collating and job offsetting features.

Phaser 7750DXF

Phaser 7750GX

Always productive

The Phaser 7750 color laser printer comes standard with a suite of software tools to aid productivity in today's complex office technology environments.

CentreWare IS Embedded Web Server provides easy printer management via your favorite web browser. Save time with configuration cloning and automatic installation, and access MaiLinX email alerts, consumables status, printer configurations, job accounting and automated support.

For enterprise-level printer management, server-based CentreWare Web makes it easy for IT administrators to install, configure, obtain reports and troubleshoot all Xerox and non-Xerox network devices simultaneously.

PrintingScout (instant pop-up Help), PhaserSMART (remote diagnostic tool), a full one-year on-site warranty and the Xerox Total Satisfaction Guarantee ensure that your printer will be on-line, all the time.

High performance from start to finish

If you print a lot of multi-page documents, you'll find the Phaser 7750DXF configuration tremendously useful. We've added a High-Capacity Feeder 1 to give you an additional universal tray and two letter-size trays for a total 3,150-sheet capacity. A Finisher 2 simplifies your on-demand workload by stapling sets of up to 50 sheets and offset-stacking them for easy pick-up and distribution.

The Phaser 7750DN configuration comes with automatic 2-sided printing and two versatile paper input trays: a 150-sheet multi-purpose Tray 1, 3 and a 500-sheet universal tray 4.

The Phaser 7750GX configuration adds a lower tray deck, containing three 500-sheet universal trays 5 6 7 for a total capacity of 2,150 sheets.

need more information?

Find it at www.xerox.com/office

See the Phaser 7750 printer in action. Visit your Xerox reseller, or see a virtual demo:
www.xerox.com/office/7750demo

Services & Support. Learn about Total Satisfaction Services℠ award-winning service: **www.xerox.com/office/support**

Get color connected. Xerox Color Connection includes access to a special web site, newsletters, tutorials, product updates and great ideas: **www.colorconnection.xerox.com**

PhaserMatch 3.0. See how you can customize print profiles to match your exact specifications:
www.xerox.com/office/7750phasermatch

Call today. For more information, call **1-877-362-6567**
or visit us at **www.xerox.com/office.**

CONFIGURATIONS

	7750B	7750DN	7750GX	7750DXF
Performance Print speed	35 ppm color and black-and-white			
First page out	11 seconds			
Memory (Std / Max)	256 MB / 1 GB RAM	384 MB / 1 GB RAM	512 MB / 1 GB RAM	
Processor	715 MHz G4 class processor, Adobe PostScript 3, PCL5c			
Internal hard drive	Optional	Standard 20 GB internal hard drive		
Maximum duty cycle	150,000/month			
Print Quality Maximum resolution	1200 x 1200 dpi Enhanced 1200 x 600 dpi Standard	1200 x 1200 dpi Photo, Enhanced, Standard		
Networking Network connectivity	USB 2.0	10/100BaseTX Ethernet, USB 2.0		
Paper Handling Automatic 2-sided printing	Optional	Standard		
Paper input capability Standard	150-sheet Tray 1, 500-sheet Tray 2			
			1,500-sheet lower tray deck	1,000-sheet finisher (stapler/stacker) 2,500-sheet high-capacity feeder
Productivity Standard features	Phaser Installer, Intelligent Ready, Job Pipelining			
		Custom Size Pages, Embedded Web Server, E-mail alerts, Enhanced PrintingScout, PhaserSMART, Job Accounting, Usage Analysis Tool, Booklet Printing, Smart Trays, Banner-size Printing, Proof/Secure/Saved Print, PDF 1.4 direct, Extended Font Storage, Job Collation		
		PhaserCal color calibration	PhaserCal plus PhaserMatch 3.0 color management	
Warranty	One-year on-site, Xerox Total Satisfaction Guarantee			

SPECIFICATIONS

Network/Software

Printer management Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)

Font capabilities 137 Resident PS fonts and 81 PCL

Printer drivers Windows 98/me, Windows NT 4.x, Windows 2000/XP, MacOS 9.x/X, version 10.1 or higher, Novell NetWare 4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x,Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO).

Languages True Adobe®, PostScript®, 3™, PCL5c emulation with automatic sensing and switching.

Paper handling

Tray 1: 150-sheet Tray (standard) 18–40 lb. Bond and 65–80 lb. Cover (65–220 gsm), coated, glossy, Phaser Digital Photo Paper, labels, envelopes, Phaser Trifold Brochures, Phaser Weatherproof paper, Phaser Postcards, Phaser 45-Series Transparency Film. *Media sizes:* A/Letter, Executive, Statement, US Folio, Legal, Tabloid, Tabloid Extra*, Banner*, A4, A5, A6, A3, B5 JIS, B4 JIS, ISO B5, SRA3*, and Custom sizes; Envelopes: #10, A7, DL, B5, C6, C5, C4.
(*not available on B)

Tray 2: 500-sheet Tray (standard) 18–40 lb. Bond and 50–60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper, Phaser 45-Series Transparency Film. *Media sizes:* A/Letter, Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5 JIS, B4 JIS, and Custom sizes.

Tray 3, 4, 5: 1,500-sheet lower tray deck (standard on GX) 18–40 lb. Bond and 50–60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes:* A/Letter, Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5 JIS, B4 JIS.

Tray 3, 4, 5: 2,500-sheet high capacity feeder (standard on DXF) 18–40 lb. Bond and 50–60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes: Tray 3:* A/Letter, Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5 JIS, B4 JIS.
Tray 4, 5: A/Letter, A4, B5 JIS.

Automatic 2-sided printing: 18–28 lb. Bond (65–105 gsm) plain paper, heavy paper and letterhead.

Special features

PrintingScout Instantly displays pop-up Help if attention is needed during print jobs.

PhaserSMART provides automated internet-based support.

Auto Install automatically gets you printing over the network in seconds.

Productivity tools for the user: Secure Print*, Proof Print*, Saved Print*, Booklet printing, Intelligent Ready, Scaling, Watermarks, Collation*, Remote printing, Separation pages, N-up, MailLinX E-mail Alerts, Job Accounting, Job Pipelining, Extended font storage.
(*not available on B)

Productivity tools for the IT manager: CentreWare IS Embedded Web Server, MailLinX E-mail Alerts, Printer Neighborhood, CentreWare Printer Management Software.

Color controls

Color standards PANTONE®-approved solid-color simulations, Adobe PostScript device-independent color, CIE International color standards, and support for ICC, ICM and Apple ColorSync color management systems

Color correction PhaserMatch 3.0, TekColor Dynamic Correction Color Profiles selectable from the driver: Automatic, sRGB Display, sRGB Vivid, SWOP, Euroscale Commercial, SNAP, DIC Toyo, Black and White, None

PhaserMatch 3.0 color management for custom profiles Standard 7750GX and DXF, Optional 7750B and 7750DN.

Operating

Dimensions *7750B and 7750DN:* width: 25.4 in. (644 mm), height: 19.4 in. (493 mm), depth: 28.1 in. (715 mm), weight: 194 lb. (88 kg.); *7750GX:* width: 25.4 in. (644 mm), height: 33.7 in. (857 mm), depth: 28.1 in. (715 mm), weight: 255.7 lb. (116 kg.); *7750DXF:* width: 47.0 in. (1194 mm), height: 42.0 in. (1067 mm), depth: 28.1 in. (715 mm), weight: 354.9 lb. (161 kg.)

Environment Temperature: Storage: -20˚ to 50˚ C (-4˚ to 122˚ F); Operating 10˚ to 32˚ C (50˚ to 90˚ F) Relative Humidity: Storage: 30% to 55%, Operating: 10% to 85%. Noise Level: 33dBA standby, 51 dBA running.

Electrical 110–127 VAC, 50/60 Hz, 220–240 VAC, 50/60 Hz Consumption: 230 W avg./1000 W max. ENERGY STAR qualified.

Regulatory FCC Part 15, Subpart A, UL listed to UL 1950, CSA certified to CSA-C22.2 No. 950, CE Mark applicable to directives 73/23 EEC and 89/336/EEC CDRH, EN 55022.

Total Satisfaction Services

1-year on-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 7750 printer is backed by the Xerox Total Satisfaction Guarantee.

MEDIA AND SUPPLIES

Phaser Color Printing Media

Phaser Premium Color Printing Paper
(24 lb. / 90 gsm, 500 sheets)

A/Letter (8.5 x 11 in.)	016-1368-00
A4 (210 x 297 mm)	016-1369-00
B/Tabloid (11 x 17 in.)	016-1699-00
A3 (297 x 420 mm)	016-1700-00
Tab Extra (12 x 18 in.)	016-1900-00
SRA3 (320 x 450 mm)	016-1901-00

Phaser Premium Coated Cover Paper
(60 lb. / 163 gsm, 100 sheets)

A/Letter (8.5 x 11 in.)	016-1823-00
A4 (210 x 297 mm)	016-1824-00
Glossy (80 lb. / 216 gsm, 50 sheets)	
Tab Extra (12 x 18 in.)	016-1958-00
SRA3 (320 x 450 mm) 50 sheets	016-1959-00
Matte (80 lb. / 216 gsm, 100 sheets)	
B/Tabloid (11 x 17 in.)	103R01049
A3 (297 x 420 mm)	103R01050
Tab Extra (12 x 18 in.)	103R01051
SRA3 (320 x 450 mm)	103R01005

Phaser Trifold Brochure
(65 lb / 176 gsm)

A/Letter (8.5 x 11 in.)	103R01018
A4 (210 x 297 mm)	103R01019

Phaser Weatherproof Paper
(27 lb / 100 gsm, 150 sheets)

A/Letter (8.5 x 11 in.)	103R01020
A4 (210 x 297 mm)	103R01021

Phaser 45-Series Premium Transparency Film
(50 sheets)

A/Letter (8.5 x 11 in.)	016-1798-00
A4 (210 x 297 mm)	016-1799-00

Phaser Color Printing Labels
(100 sheets)

A/Letter (30 labels /sheet)	016-1812-00
A4 (8 labels /sheet)	016-1815-00

Phaser Digital Photo Paper
(60 lb / 157 gsm, 25 sheets)

A/Letter (8.5 x 11 in.)	016-2009-00
A4 (210 x 297 mm)	016-2010-00

Phaser Glossy Coated Paper
(100 lb / 148 gsm)

A/Letter (8.5 x 11 in.) 100 sheets	016-1704-00
A3 (297 x 420 mm) 50 sheets	016-1719-00
A4 (210 x 297 mm) 100 sheets	016-1705-00
B/Tabloid (11 x 17 in.) 50 sheets	016-1718-00
SRA3 (320 x 450 mm) 50 sheets	016-1941-00
Tab Extra (12 x 18 in.)50 sheets	016-1940-00

Phaser Postcards
(65 lb / 176 gsm, 100 sheets)

A/Letter (8.5 x 11 in.) 4 cards/sheet	103R01016
A4 (210 x 297 mm) 4 cards/sheet	103R01017

Consumables

Toner Cartridges

Black (32,000 pages)	106R00652
Cyan (22,000 pages)	106R00653
Magenta (22,000 pages)	106R00654
Yellow (22,000 pages)	106R00655

Routine Maintenance Items

Imaging Unit (32,000 pages)	108R00581
Belt Cleaner (100,000 pages)	108R00580
Transfer Roller (100,000 pages)	108R00579
Fuser (110 V) 60,000 pages	115R00025
Fuser (220 V) 60,000 pages	115R00026
Waste Cartridge (27,000 pages)	108R00575
Staple Pack (3 refills x 5,000 each)	016-1971-00

Options and Upgrades

128 MB Memory	ZMD128/A
256 MB Memory	ZMD256/A
512 MB Memory	097S03186
Lower Tray Deck (three 500-sheet Universal trays)	097S03183
High-Capacity Feeder (one 500-sheet Universal tray, plus two 1,000-sheet A trays)	097S03182
Finisher (1,000-sheet)	097S03185
Printer Cart	ZCARTC/A
PhaserMatch 3.0	097S03187
Supplies Startup Kit, Standard Media	097S03143
Supplies Startup Kit, Metric Media	097S03144
Phaser 7750B to 7750DN Upgrade	097S03184

Capacities are approximate based on 5% coverage on an A-size page

Rendezvous · Adobe PostScript 3 · Designed for Microsoft Windows XP, 2000, ME, 98, Windows NT · Mac · TekColor · ColorSync · PANTONE Digital Color · Total Satisfaction Services · Energy Star · Xerox Green World Alliance

XEROX
Worldwide Partner

Copyright © 2004 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced in any form without permission of XEROX CORPORATION. XEROX®, The Document Company®, the digital X® Phaser® PhaserSmart®, PhaserCal™, PhaserMatch™, CentreWare®, and TekColor® are registered trademarks of XEROX CORPORATION in the U.S. and/or other countries. Total Satisfaction Services is a service mark of XEROX CORPORATION. All other trademarks are the property of their respective manufacturers. PANTONE Colors generated may not match PANTONE-identified standards. Consult current PANTONE publications for accurate color. PANTONE , and other Pantone, Inc. trademarks are the property of Pantone, Inc. As an ENERGY STAR, partner, XEROX CORPORATION has determined that this product meets the ENERGY STAR guidelines for energy efficiency. The ENERGY STAR name and logo are registered U.S. trademarks. The information in this brochure is subject to change without notice. 1/04
36 USC 220506 775BR-01UB